




AUTHENTIC PERFORMANCE



2014 VEHICLE LUBRICANT & CHEMICAL CATALOGUE



DODGE

CHRYSLER

Jeep

SRT



TABLE OF CONTENTS

ORDERING INFORMATION/ACRONYM INDEX	3
ALPHABETICAL INDEX	4
VEHICLE PERFORMANCE	8
LEAK DETECTION	10
COOLANT	11
AIR CONDITIONING	13
ENGINE OILS	14
AUTOMATIC TRANSMISSION FLUIDS	16
DIESEL FLUIDS	17
GEAR & AXLE LUBRICANTS	19
POWER STEERING & BRAKE FLUIDS	22
LUBRICANTS & GREASE	23
TECH TOOLS	25
HAND CLEANERS	31
VEHICLE PREP & DETAIL	33
MASTER SHIELD	39
BULK OIL	40
CROSS REFERENCE INDEX	42
NUMERICAL PART NUMBER INDEX	43



ORDERING INFORMATION

All Mopar vehicle care and maintenance products may be ordered via the normal Mopar Parts ordering functions on DealerCONNECT.

Mopar vehicle care and maintenance products are stocked at Mopar Parts Distribution Centers (PDC) and also SSD/Supplier Ship Direct.

The Workplace Hazardous Materials Information System (WHMIS) is Canada's hazard communication standard. The key elements of the system are cautionary labelling of containers of WHMIS "controlled products," the provision of material safety data sheets (MSDSs) and worker education programs. WHMIS is implemented through coordinated federal, provincial and territorial legislation. Supplier labelling and MSDS requirements are set out under the Hazardous Products Act and associated Controlled Products Regulations. The Hazardous Products Act and its regulations are administered by the Government of Canada Department of Health, commonly referred to as Health Canada. The Controlled Products Regulations establish a national standard for the classification of hazardous workplace materials. In addition to setting out criteria for biohazards, chemical and acute hazards, the regulations specify criteria for chronic health hazards including mutagenicity, carcinogenicity, embryo and reproductive toxicity, respiratory tract and skin sensitization. Each of the thirteen provincial, territorial and federal agencies responsible for occupational safety and health have established employer WHMIS requirements within their respective jurisdiction. These requirements place an onus on employers to ensure that controlled products used, stored, handled or disposed of in the workplace are properly labelled, MSDSs are made available to workers, and workers receive education and training to ensure the safe storage, handling and use of controlled products in the workplace. WHMIS balances workers' right-to-know with industry's right to protect confidential business information and includes a mechanism for ruling on claims for exemption from disclosure of confidential business information as well as appeals to these rulings. Workers who may be exposed to hazardous materials in their jobs must receive training regarding the hazards of these materials and the WHMIS system. The employer must ensure so far as is reasonably practicable that the instruction and training provided to a worker results in the worker being able to apply the information as needed to protect the worker's health and safety. The primary objective of the training program is to ensure that workers understand the hazards of the materials they are exposed to, and the measures they should take to protect themselves. In order to achieve this objective, instructors must be knowledgeable of the processes and hazards of the workplace, and the WHMIS requirements.

For a summary of the WHMIS employer requirements please go to:
<http://www.hrsdc.gc.ca/en/lp/lo/opd-ipg/opd/985-1.shtml>
<http://www.hc-sc.gc.ca/ewh-sem/occup-travail/whmis-simdut/index-eng.php>

Mopar recognizes that hazardous materials pose a risk to health, safety and the environment when being transported. Mopar strictly complies with all WHMIS Regulations to ensure both a high level of security and employee safety when shipping our products. Mopar's commitment to WHMIS compliance includes providing the appropriate packaging and labeling to ensure proper shipping of our products.

It is important that you understand your responsibilities as an employer/shipper and the consequences of failing to comply with federal WHMIS Regulations when shipping or returning vehicle parts and maintenance products to Mopar. By strictly adhering to requirements, you will be able to safely and properly ship any returned parts or maintenance products to Mopar. For more information on compliance requirements, please visit the WHMIS Website at: <http://www.hc-sc.gc.ca/ewh-sem/occup-travail/whmis-simdut/index-eng.php>

DealerCONNECT ACCESS TO MATERIAL SAFETY DATA SHEETS

DealerCONNECT Interactive Access to Material Safety Data Sheets (MSDS) allows for quick and easy retrieval of an MSDS for any potentially hazardous part. The following procedure is designed to guide you through the basic steps for interactively accessing a Material Safety Data Sheet (MSDS) through DealerCONNECT.

1. Log on to DealerCONNECT using <https://dealerconnect.chrysler.com>.
2. From the DealerCONNECT welcome screen, sign on with your Dealer ID, Password, and Dealer Code, then press the **[SUBMIT]** key.
3. From the DealerCONNECT homepage, click on the **[PARTS]** tab.
4. From the Parts page, click on the **[MSDS]** link under the Reference Library.
5. Type in the Part Number on the MSDS inquiry screen and click on the **[SEARCH]** key.
6. Select the appropriate product and click on the **[DISPLAY MSDS]** key.

TO PRINT AN MSDS:

Once the MSDS sheet is displayed, click on the **[PRINTER]** icon on the toolbar to print.

CONTROL INFORMATION

For 24-hour poison control information, call the Security Information Center **(248) 576-8888**.

CATALOGUE ACRONYMS

4WD	Four Wheel Drive
A/C	Air Conditioning
ATF	Automatic Transmission Fluid
EGR	Exhaust Gas Recirculation
Fl	Fluid
mL	Milliliter
MSQ	Minimum Ship Quantity
Oz.	Ounce

PAG	Polyalkaline Glycol
PCV	Positive Crankcase Ventilation
RTV	Room Temperature Vulcanization
SAE	Society of Automotive Engineers
TCE	Trichloroethylene
UV	Ultraviolet
VOC	Volatile Organic Compound

ALPHABETICAL INDEX

ITEM	SIZE	PART NUMBER	PAGE NO.
4-in-1 Leak Detection Dye	7.39 mL Bottles	05010042AB	10
5-Year Coolant Leak Detection Dye	29.6 mL Bottle	05161618AA	10
50/50 Prediluted Antifreeze/Coolant 10-Year/240,000 KM	3.785 L Bottle	68175339AA	12
50/50 Prediluted Antifreeze/Coolant 10-Year/240,000 KM — Embittered	3.785 L Bottle	68148834AA	11
Air Leak Detector	236 mL Bottle	05191804AA	10
Antifreeze/Coolant 3-Year Formula - Embittered	3.78 L Bottle	0VU01233	11
Antifreeze/Coolant 5-Year/250,000 KM - Embittered	3.78 L Bottle	0VU01524AB	11
Anti-Squeak Tape	—	05019054AA	30
ASRC™ ATF	946 mL Bottle	05189966AB	16
ASRC™ ATF	3.785 L Bottle	05189977AB	16
ATF+4	208.2 L Drum	68218054CA	16
ATF+4	946 mL Bottle	68218057CA	16
ATF+4	5 L Bottle	68218058CA	16
ATF-RTV	85 G Tube	05010884AA	27
Axle RTV	85 G Tube	05013477AA	27
Battery Terminal Protector Pads	2 Pads	68048547AA	29
Bond-All Gel	3 mL Tube	04467709	29
Brake & Clutch Fluid Dot 4 Motor Vehicle	500 mL Bottle	0BF00016	22
Brake & Parts Cleaner Non-Chlorinated	390 G Aerosol Can	0VU01497AB	25
Brake & Parts Cleaner Non-Chlorinated	20 L Pail	0VU01502	25
Brake and Parts Cleaner Pump	—	0VU01511	25
Brake Dust Inhibitor	237 mL Bottle	68049692AA	25
Brake Lubricant	50 G Tube	04796269	24
Brushing Grease	56 G Tube	68028730AB	24
Bug & Tar Remover	946 mL Can	0MS00121	33
Butyl Tape	4' Roll	04076274AB	28
C Series DDCT SAE 75W Hydraulic Fluid	946 mL Bottle	68092638AA	20
C Series Manual & Dual Dry Clutch Transmission Fluid	946 mL Bottle	68092630AA	20
C Series Manual & Dual Dry Clutch Transmission Fluid	3.785 L Bottle	68092636AA	20
Carpet Cleaner	510 G Aerosol Can	05175050AA	36
Cavity Wax Kit Refill	—	68042970AA	25
Cavity Wax Kit	1 Kit	68042969AA	25
Chrome Cleaner	473 mL Bottle	04318013AC	33
Cloth Top Cleaner Concentrate	473 mL Bottle	05012245AC	34
Cloth Top Treatment	473 mL Trigger Spray Bottle	05012246AB	34
Combustion Chamber Cleaner	385 G Aerosol Can	0VU00788	25
Combustion Chamber Cleaner	500 mL Aerosol Can	0VU01788	25
Concentrate Antifreeze/Coolant 10-Year/240,000 KM	3.785 L Bottle	68175338AA	12
Concentrate Antifreeze/Coolant 10-Year/240,000 KM — Embittered	3.785 L Bottle	68148838AA	11

ITEM	SIZE	PART NUMBER	PAGE NO.
Coolant Leak Detection Dye	7.39 mL Bottles	05010043AA	10
Cooling Coil Cleaner	236 mL Bottle	05170022AA	13
Cooling Coil Coating	236 mL Bottle	04728942AB	13
Cooling System Flush	650 mL Bottle	04856977AB	12
Cooling System Tune-Up Kit	3-350 mL Bottle	0VU01282	12
Corrosion Inhibitor	141.7 G Spray Can	05179671AA	37
CVTF+4 Transmission Fluid	946 mL Bottle	05191184AA	16
CVTF+4 Transmission Fluid	3.785 L Bottle	05191185AA	16
Dexron®-VI Automatic Transmission Fluid	946 mL Bottle	68043742AB	16
Dielectric Grease	56 G Tube	J8126688	24
Diesel Exhaust Fluid	3.785 L	68035704AB	17
Diesel Exhaust Fluid	9.46 L	68056278AB	17
Diesel Fresh™	118 mL Bottle	5139947AA	15
Diesel Injector Cleaner	888 mL Bottle	68194640AA	8
Diesel Turbocharger Cleaner	396 G Aerosol Can	68044565AA	27
Dispenser for Bag-In-Box	1 Dispenser	04897618AA	31
DOT 3 Brake Fluid	20 L Drum	0BF00013	22
DOT 3 Brake Fluid	350 mL Bottle	0BF00014	22
DOT 3 Brake Fluid	3.78 L Bottle	0BF00015	22
EGR System Cleaner	1 L Bottle	68028729AA	27
Electric Steering Pump Fluid	473 mL Bottle	68088485AA	22
Electrical Contact Cleaner	275 G Aerosol Can	0VU01534	25
Engine Sealant RTV Silicone Rubber Adhesive	85 G Tube	04883971	27
Engine Shampoo	20 L Pail	0VU01070AC	35
Engine Shampoo	475 G Aerosol Can	0VU01443	35
Fabric Protector	473 mL Bottle	0MS01001	39
Flock Tape	—	05019055AA	30
Foam Tape	—	05019056AA	30
Foam Tape	—	05019057AA	30
Foam Tape	—	05019058AA	30
Fuel Injector Cleaner	250 mL Bottle	0VU01426	9
Fuel System Cleaner	340 Gram Aerosol Can	0VU01535	8
Fuel System Cleaner Application Tool	—	0VU01441	8
Fuel System Treatment	250 mL Bottle	0VU01246	9
Gasket Maker	50 G Tube	04318083	28
Gasket Sealant	255 G Aerosol Can	04318035AC	28
Gasket Sealing Compound	255 G Aerosol Can	0VU01508	28
Gear & Axle Lubricant SAE 80W-90	60 L Drum	68218043CA	19
Gear & Axle Lubricant SAE 80W-90	946 mL Bottle	68218041CA	19
Gear Marking Compound	118 mL	04883065	26

ALPHABETICAL INDEX

ITEM	SIZE	PART NUMBER	PAGE NO.
General Purpose High-Temp Wheel Bearing Grease	400 G Cartridge	0VU01418	23
General Purpose High-Temp Wheel Bearing Grease	500 G Tub	0VU01419	23
Glass Cleaner	651 mL Bottle	0MS00120	36
Glass Cleaner	525 G Aerosol Can	0VU01202	36
Hand Cleaner/Natural Citrus	3.785 L Bottle	82300022AB	31
Hydraulic System Power Steering Fluid	946 mL Bottle	05142893AA	22
Hylomar Gasket Dressing/ Flange Sealant	30 G Tube	05127819AA	28
Jeep® Soft Glass Window Cleaner	473 mL Bottle	05012248AC	33
Leather and Vinyl Protector	118 mL Bottle	0MS01004	39
Limited Slip Additive	120 mL Bottle	04318060AB	21
Liquid Gasket for MMC	85 G Tube	MD974421	23
Lock & Seal Adhesive	6 mL Tube	04318031	30
Manual Transaxle and Quadra-Trac Lubricant	946 mL Bottle	04874465	20
Manual Transmission Lubricant	946 mL Bottle	04874464	20
MB236.12 Automatic Transmission Fluid	946 mL Bottle	05127382AB	16
Metal Assembly Paste	79 G Tube	05127534AA	24
Mopar® Automatic Car Wash Drying Agent	18.93 L Container	05093095AA	38
Mopar Automatic Car Wash Frictionless Cleaner	18.93 L Container	05093093AA	38
Multi-Mileage Lube	411 G Cartridge	04897841AA	23
Multi-Purpose Grease	411 G Cartridge	05083150AA	23
Multi-Purpose Liquid Floor Cleaner	20 L	0VU01268	38
Multi-Purpose Lube	175 G Aerosol Can	0VU01463	26
ND-11 A/C Compressor Oil POE Type	250 mL Can	68043289AA	13
ND-12 Compressor Oil	210 mL	68224150AA	13
Nickel Anti-Seize Lubricant	454 G Bottle	0VU01307	26
Nye Dielectric Grease	56 G Tube	05013781AA	23
Nye Synthetic Lubricant	30 G Tube	05018626AA	23
Oil Lubricant	—	05019059AA	30
One Step Polish	473 mL Bottle	0MS00119	34
Output Shaft Assembly Lubricant	50 G Tube	68002256AA	24
Paint Sealant	118 mL Bottle	0MS01000	39
Pennzoil® SAE 0W-20 Platinum Full Synthetic	946 mL Bottle	68152004CA	14
Pennzoil SAE 5W-20 Platinum Full Synthetic	946 mL Bottle	05166240CA	14
Pennzoil SAE 5W-20 Platinum Full Synthetic	5 L Bottle	68224343CA	14
Pennzoil SAE 5W-20 Platinum Full Synthetic	208.2 L Drum	68146832CA	14

ITEM	SIZE	PART NUMBER	PAGE NO.
Pennzoil SAE 5W-30 Platinum Full Synthetic	946 mL Bottle	05166241CA	14
Pennzoil SAE 5W-30 Platinum Full Synthetic	5 L Bottle	68224344CA	14
Pennzoil SAE 5W-30 Platinum Full Synthetic	208.2 L Drum	68146834CA	14
Pennzoil SAE 10W-30 Platinum Full Synthetic	946 mL Bottle	05166242CA	14
Pennzoil SAE 10W-30 Platinum Full Synthetic	5 L Bottle	68224345CA	14
Pennzoil Ultra Euro L 5W-30 Full Synthetic	946 mL Bottle	68001334CB	14
Pennzoil ULTRA SAE 5W-40 European Formula Full Synthetic	946 mL Bottle	05127394CB	14
Pennzoil Ultra SAE 0W-40 Full Synthetic	946 mL Bottle	68171066CA	14
Penetrating Fluid	290 G Aerosol Can	0VU00100	26
Phosphate-Free Car Wash	14 Lb. Pail (Powder)	04883967	35
Power Steering Fluid +4	946 mL Bottle	68218064AA	22
Premium Diesel Fuel Treatment	325 mL Bottle	05191800AA	9
Premium Fuel System Cleaning Kit	1 Kit	0VU01440	8
Premium Fuel System Service Kit	1 Kit	0VU01532	9
Premium Windshield Washer Solvent/De-Icer	1892 mL Bottle	05139803AA	35
R-134A A/C Refrigerant	13.6 Kilogram Cylinder	0VU01507AB	13
R-134a Compressor Oil PAG Type	250 mL Can	82300102AB	13
R-134a Leak Detection Dye	7.39 mL Bottles	04798219AB	10
Rain Repellant Windshield Washer Fluid	1892 mL Bottle	05139804AA	35
Rear Axle Lubricant	1 L Bottle	68083381AA	19
Rear View Mirror Adhesive	.06 mL Kits	05015983AB	30
Rear Window Defogger Repair Kit	1.4 mL Kit	0VU01331	29
RL-897 A/C Compressor Oil PAG Type	250 mL Can	68170681AA	13
Rubber Bushing Installation Lube	118 mL Can	05010319AB	23
Rubber Lubricant	5 L Bottle	0TT00072	23
Rustproofing	917 mL Bottle	0MS01003	39
SAE 0W-20 Mopar Max Pro Plus	946 mL Bottle	68218950CA	15
SAE 0W-20 Mopar Max Pro Plus	5 L Bottle	68218951CA	15
SAE 0W-20 Mopar Max Pro Plus	208.2 L Drum	68218952CA	15
SAE 10W-30 Mopar Engine Oil	946 mL Bottle	68218930CA	15
SAE 10W-30 Mopar Engine Oil	5 L Bottle	68218931CA	15
SAE 10W-30 Mopar Engine Oil	208.2 L Drum	68218932CA	15
SAE 15W-40 Mopar Engine Oil	946 mL Bottle	68218940CA	15
SAE 15W-40 Mopar Engine Oil	5 L Bottle	68218941CA	15
SAE 15W-40 Mopar Engine Oil	208.2 L Drum	68218942CA	15
SAE 5W-20 Mopar Engine Oil	946 mL Bottle	68218890CA	15
SAE 5W-20 Mopar Engine Oil	5 L Bottle	68218891CA	15
SAE 5W-20 Mopar Engine Oil	208.2 L Drum	68218892CA	15
SAE 5W-30 Mopar Engine Oil	946 mL Bottle	68218920CA	15

ALPHABETICAL INDEX

ITEM	SIZE	PART NUMBER	PAGE NO.
SAE 5W-30 Mopar® Engine Oil	5 L Bottle	68218921CA	15
SAE 5W-30 Mopar Engine Oil	208.2 L Drum	68218922CA	15
Satin Select	473 mL Trigger Spray Bottle	05174395AA	36
Shell SAE 5W-40 Rotella T6 Full Synthetic	5 L Bottle	68171006CA	14
Shell SAE 5W-40 Rotella T6 Full Synthetic	208.2 L Drum	68147411CA	14
Silicone Rubber RTV	85 G Tube	82300234	28
Silicone Spray Lube	300 G Aerosol Can	0VU01496	26
Silicone Windshield & Glass Sealer	42 G Tube	04467708	30
Soft Top Zipper Cleaner & Lubricant	59 mL Bottle	05066440AA	34
Solstice R-1234YF A/C Refrigerant	4.5 Kilogram Cylinder	68224028CA	13
SP-15 A/C Compressor Lubricant	250 mL Can	4886129AA	13
Spill Free Nozzle		68083422AA	17
SP-IV Automatic Transmission Fluid	946 mL Bottle	68171866AA	16
SP-IV Automatic Transmission Fluid	3.785 L Bottle	68171869AA	16
Spot & Stain Remover	500 mL Bottle	0VU01498	34
Spray White Lube Lithium Grease	300 G Aerosol Can	0VU01491	26
Stop Leak Pellets		04318005	12
Stud N' Bearing Mount Adhesive	6 mL Tube	04318032	30
Super Glue	3 G Tube	0VU01454	31
Synthetic Axle Lubricant SAE 75W-85	946 mL Bottle	05136035AA	20
Synthetic Gear & Axle Lubricant SAE 75W-90	60 L Drum	68218656CA	19
Synthetic Gear & Axle Lubricant SAE 75W-140	946 mL Bottle	68218657CA	19
Synthetic Gear & Axle Lubricant SAE 75W-140	60 L Drum	68218658CA	19
Synthetic Gear Lubricant SAE 75W-90	946 mL Bottle	68218655CA	19
Synthetic Gear Lubricant SAE 75W-90	946 mL Bottle	68218654AA	19
Synthetic Manual Trans Lubricant SAE 75W-85	946 mL Bottle	04874459	20
Threadlocker Blue	6 mL Tube	0VU01161	31
Threadlocker Red	6 mL Tube	0VU01159	31

ITEM	SIZE	PART NUMBER	PAGE NO.
Threebond™ Engine RTV	150 G Tube	68082860AA	27
Throttle Body Cleaner	425 G Aerosol Can	0VU01446	25
Tire Treatment	473 mL Trigger Spray Bottle	04796240AC	33
Total Clean Trigger Spray	3.785 L Bottle	04318020AC	36
Total Clean Trigger Spray	473 mL Trigger Spray Bottle	04897840AB	36
Touch-Up Paint Display Stand	Holds 24 (14.78 mL) Bottles	04637607	37
Transfer Case Lubricant - LX	946 mL Bottle	05170055AB	21
Transfer Case Lubricant for Borgwarner 44-40	1 L Bottle	68049954AA	21
Transfer Case Lubricant for Borgwarner 44-44	946 mL Bottle	68089195AA	21
Transfer Case Lubricant NV 245/NV 247/NV 249	946 mL Bottle	05016796AC	21
Transfer Case Lubricant NV146	946 mL Bottle	68001758AA	21
Transfer Case Lubricant NV246	950 mL Bottle	05179014AA	21
Transmission Cooler Flush	3.785 L Bottle	04796268	26
Undercoat	1.183 L Bottle	0MS01002	39
Universal Wash	473 mL Bottle	0MS00116	38
Universal Wash	20 L Pail	0VU01067	38
Universal Wash	3.78 L Bottle	0VU01068	38
Universal Wash	205 L Drum	0VU01421	38
Vinyl Foam Tape	30' Roll	04318028	28
Vinyl Protector & Conditioner	227 mL Bottle	0VU01424AB	33
Vitamol ZH-M Hydraulic Fluid	500 mL Bottle	68035321AA	21
Water Pump Lubricant	355 mL Bottle	68029698AB	12
Wax Treated Polishing Cloths	One 390 Sq. In. Cloth in Display Bag	04318012	37
Weatherstrip Adhesive	142 G Tube	04773774	29
Weatherstrip Lubricant	30 mL Bottle	04773427	29
White Lithium Grease	85 G Tube	68003883AB	23
Whitewall & Vinyl Top Cleaner	473 mL Trigger Spray Bottle	04856593AB	34
Windshield Washer Antifreeze	3.78 L Bottle	0VU01321	35
Windshield Install Package	—	04864015AC	29
ZF 8 & 9 Speed ATF®	1 L Bottle	68218925AA	16



MAINTAIN

MOPAR® OFFERS A FULL LINE OF VEHICLE PERFORMANCE PRODUCTS

Proper vehicle maintenance is more important today than ever. From Fuel System Cleaner to Cooling System Flush, Mopar® offers everything you need to keep your customers' Chrysler, Jeep®, Dodge, Ram, SRT® and FIAT® vehicles operating at peak efficiency. The best vehicle maintenance begins with Mopar.

VEHICLE PERFORMANCE



FUEL SYSTEM CLEANER APPLICATION TOOL

MSQ: 1
Part No. 0VU01441



PREMIUM FUEL SYSTEM CLEANING KIT

This kit is designed to improve customer satisfaction by addressing driveability concerns, including rough idle, loss of power, hesitation, hard starting and poor fuel economy.

One Kit Includes
Premium Fuel System Cleaner,
Premium Combustion Chamber Cleaner,
Premium Air Intake Cleaner

MSQ: 8
Part No. 0VU01440



DIESEL INJECTOR CLEANER

Compatible with all diesel fuels and bio-diesel. Emissions-reducing formula is non-corrosive and contains no alcohol. Rated "superior" in Cummins L-10 test for injector cleanliness. Complies with federal ultra-low sulfur content requirements for use in all diesel motor vehicles and non-road engines. Increases power and reduces black smoke.

888 mL Bottle
MSQ: 12 Bottles
Part No. 68194640AA



FUEL SYSTEM CLEANER

The ultimate fuel injector cleaner. It is a powerful, non-halogenated cleaner for use in all fuel-injected gasoline engines. Catalytic converter and sensor safe.

340 Gram Aerosol Can
MSQ: 12 Cans
Part No. 0VU01535

VEHICLE PERFORMANCE



PREMIUM FUEL SYSTEM SERVICE KIT

For use when symptoms indicate fuel system, fuel injection or induction system deposits are causing drivability problems. Minimal tools required. Easy-to-use bilingual manual and toll free number available for technical support.

MSQ: 1 Kit
Part No. 0VU01532



FUEL INJECTOR CLEANER

Cleans performance-robbing carbon deposits from the entire fuel system, restoring lost power, drivability and fuel economy. Cleans and protects sensitive fuel gauge sensors from harmful sulfur in some gasolines.

250 mL Bottle
MSQ: 12 Bottles
Part No. 0VU01426



PREMIUM DIESEL FUEL TREATMENT

Increases cetane rating 2-5 numbers. Improves fuel economy and corrosion protection. Removes fuel injector/System deposits and may reduce emissions. Provides exceptional fuel lubricity for reducing fuel pump and injector wear. Improves cold temperature flow for low temperature starting, smoother idling and shortened warm-up time. Stabilizes fuel when in storage. This diesel fuel additive complies with the federal low sulfur content requirements for use in diesel motor vehicles and non-road engines.

325 mL Bottle
MSQ: 24 Bottles
Part No. 05191800AA



FUEL SYSTEM TREATMENT

For vehicles that may sit 30 days or longer. Prevents fuel system varnish that can cause hard starting and reduce fuel injector performance. Absorbs water to help prevent corrosion.

250 mL Bottle
MSQ: 12 Bottles
Part No. 0VU01246

Note: The photos shown on this page may not be representative of actual product.

LEAK DETECTION

LEAK DETECTION DYES

Simple-to-use dye identifies leaks. Fluorescent dye leak detecting compounds make short work of pinpointing difficult-to-diagnose leaks by glowing brightly when exposed to ultraviolet (UV) light. Convenient, single-application bottles.



5-YEAR COOLANT LEAK DETECTION DYE
5-Year Coolant Leak Detection Dye is used in Mopar 5-Year/160,000 Km Antifreeze (Part No. 05066386AA). Dilution ratio of 29.6 mL to 3.78 L of antifreeze.
29.6 mL Bottle
MSQ: 6 Bottles
Part No. 05161618AA



R-134a LEAK DETECTION DYE
7.39 mL Bottles
MSQ: 24 Bottles
Part No. 04798219AB



AIR LEAK DETECTOR
236 mL Bottle
MSQ: 1 Bottle
Part No. 05191804AA



4-IN-1 LEAK DETECTION DYE
4-in-1 Leak Detection Dye can be used in engine oil (7.39 mL dye per 3.78 L of oil), ATF (7.39 mL dye per 5.68 liter of ATF), fuel (7.39 mL dye per 7.57 L of fuel), and power steering fluid. (NOTE: For finding power steering leaks only use 1/4 of total amount of dye in the 4-in-1 7.39 mL dye bottle).
7.39 mL Bottles
MSQ: 6 Bottles
Part No. 05010042AB



COOLANT LEAK DETECTION DYE
7.39 mL Bottles
MSQ: 6 Bottles
Part No. 05010043AA

Note: The photos shown on this page may not be representative of actual product.

COOLANT

IAT/CONVENTIONAL FAMILY



ANTIFREEZE/COOLANT 3-YEAR FORMULA — EMBITTERED

Ethylene glycol based three-year formulation to prevent freeze-up and boil-over while inhibiting corrosion. Only for vehicles factory filled with three-year coolant.

3.78 L Bottle

MSQ: 6 Bottles

Part No. 0VU01233

HOAT FAMILY



ANTIFREEZE/COOLANT 5-YEAR/ 250,000 KM — EMBITTERED

Ethylene glycol-based five-year formulation to prevent freeze-up and boil-over while inhibiting corrosion. Only for vehicles factory filled with 5-year/250,000 km coolant.

3.78 L Bottle

MSQ: 4 Bottles

Part No. 0VU01524AB

OAT FAMILY FIAT® VEHICLES



50/50 PREDILUTED ANTIFREEZE/COOLANT 10-YEAR/240,000 KM — EMBITTERED

Do not add water. Ethylene glycol based formulation to prevent freeze-up and boil-over while inhibiting corrosion. Must not be mixed with any non-conforming antifreeze. OAT (Organic Additive Technology). Developed for new vehicle technologies.

3.785 L Bottle

MSQ: 4 bottles

Part No. 68148834AA



CONCENTRATE ANTIFREEZE/COOLANT 10-YEAR/240,000 KM — EMBITTERED

Ethylene glycol based formulation to prevent freeze-up and boil-over while inhibiting corrosion. Must not be mixed with any non-conforming antifreeze. OAT (Organic Additive Technology). Developed for new vehicle technologies.

3.785 L Bottle

MSQ: 4 bottles

Part No. 68148838AA

COOLANT

OAT FAMILY CHRYSLER GROUP LLC VEHICLES



COOLING SYSTEM TUNE-UP KIT

#1 FAST FLUSH

1 – CLEANS the entire cooling system of rust and scale deposits. Non-acid will not harm aluminum.

#2 CONDITIONER

2 – MAINTAINS cooling system efficiency. Conditioner will prolong the alkalinity of the antifreeze, lubricate the water pump seals and provide additional rust and corrosion protection.

#3 SEALANT

3 – SEALS the cooling system. Sealant seeks out minor leaks in radiator and block, then seals against see page.

3-350 mL Bottle

MSQ: 1 Kit

Part No. 0VU01282



50/50 PREDILUTED ANTIFREEZE/COOLANT 10-YEAR/240,000 KM

Do not add water. Ethylene glycol based formulation to prevent freeze-up and boil-over while inhibiting corrosion. Must not be mixed with any non-conforming antifreeze. OAT (Organic Additive Technology). Developed for new vehicle technologies.

3.785 L Bottle

MSQ: 4 bottles

Part No. 68175339AA



CONCENTRATE ANTIFREEZE/COOLANT 10-YEAR/240,000 KM

Ethylene glycol based formulation to prevent freeze-up and boil-over while inhibiting corrosion. Must not be mixed with any non-conforming antifreeze. OAT (Organic Additive Technology). Developed for new vehicle technologies.

3.785 L Bottle

MSQ: 4 bottles

Part No. 68175338AA



COOLING SYSTEM FLUSH

Dissolves oil and sludge from cooling system while removing scale and rust from components. Does not foam and is compatible with all aluminum components.

650 mL Bottle

MSQ: 12 Bottles

Part No. 04856977AB



WATER PUMP LUBRICANT

Formulated to help prevent rust and corrosion while lubricating the water pump. Compatible with all cooling system metals including aluminum.

355 mL Bottle

MSQ: 12 Bottles

Part No. 68029698AB



STOP LEAK PELLETS

Permanently seals minor coolant leaks in radiator, block, head gasket or hose connections. Approved for all types of coolant.

MSQ: 24

Part No. 04318005

AIR CONDITIONING



R-134A A/C REFRIGERANT
 Convenient 30 lb. non-returnable container.
 13.6 Kilogram Cylinder
 MSQ: 1 Cylinder
Part No. 0VU01507AB



SOLSTICE R-1234YF A/C REFRIGERANT
 New air conditioning refrigerant for use in vehicles equipped with the 1234YF systems.
 4.5 Kilogram Cylinder
 MSQ: 1
Part No. 68224028CA



R-134a COMPRESSOR OIL PAG TYPE
 250 mL Can
 MSQ: 1 Can
Part No. 82300102AB



RL-897 A/C COMPRESSOR OIL PAG TYPE
 Formulated for use only in electrically driven compressors. Do not mix with other PAG type compressor lubricants.
 210 mL Can
 MSQ: 1 Can
Part No. 68170681AA



ND-11 A/C COMPRESSOR OIL POE TYPE
 Formulated for use only in electrically driven compressors.
 250 mL Can
 MSQ: 1 Can
Part No. 68043289AA



SP-15 A/C COMPRESSOR LUBRICANT
 250 mL Can
 MSQ: 1 Can
Part No. 04886129AA



COOLING COIL COATING
 Provides a durable coating to the air conditioning evaporator to reduce or eliminate odors.
 236 mL Bottle
 MSQ: 6 Bottles
Part No. 04728942AB



ND-12 COMPRESSOR OIL
 Formulated for use in automotive air conditioning systems using R-1234yf refrigerants.
 210 mL Can
 MSQ: 1 Can
Part No. 68224150AA



COOLING COIL CLEANER
 Heavy-duty, fast-acting cleaner. Removes dirt and odor-causing organic matter. Biodegradable, safe on automotive surfaces.
 236 mL Bottle
 MSQ: 12 Bottles
Part No. 05170022AA

Note: The photos shown on this page may not be representative of actual product.

ENGINE OILS



PENNZOIL® ULTRA SAE 0W-40 FULL SYNTHETIC

Service Fill SRT8®, 6.4L.

946 mL Bottle

MSQ: 6

Part No. 68171066CA



SHELL SAE 5W-40 ROTELLA T6 FULL SYNTHETIC

Approved for Cummins Turbo Diesels. Recommended for heavy duty drive cycle, towing, and commercial use. Preferred when temperature is -15° C or below.

5 L Bottle

MSQ: 3

Part No. 68171006CA

208.2 L Drum

MSQ: 1

Part No. 68147411CA



PENNZOIL ULTRA SAE 5W-40 EUROPEAN FORMULA FULL SYNTHETIC

Service Fill SRT8, 6.1L

Service Fill SRT10®, 8.3L, 8.4L

Service Fill Crossfire & SRT6®

Service Fill 2.8L diesel (KJ)

946 mL Bottle

MSQ: 6

Part No. 05127394CB



PENNZOIL ULTRA EURO L 5W-30 FULL SYNTHETIC

Approved for 3.0L CRD (WK) and Sprinter 3.0L OM642 (VB).

946 mL Bottle

MSQ: 6

Part No. 68001334CB



PENNZOIL SAE 0W-20 PLATINUM FULL SYNTHETIC

Approved to service all engines that require SAE 0W-20 engine oils.

946 mL Bottle

MSQ: 6

Part No. 68152004CA



PENNZOIL SAE 5W-20 PLATINUM FULL SYNTHETIC

Energy conserving viscosity grade recommended for many modern gasoline engines.

946 mL Bottle

MSQ: 6

Part No. 05166240CA

5 L Bottle

MSQ: 3

Part No. 68224343CA

208.2 L Drum

MSQ: 1

Part No. 68146832CA



PENNZOIL SAE 5W-30 PLATINUM FULL SYNTHETIC

Energy conserving viscosity provides excellent all-season protection and unsurpassed levels of performance.

946 mL Bottle

MSQ: 6

Part No. 05166241CA

5 L Bottle

MSQ: 3

Part No. 68224344CA

208.2 L Drum

MSQ: 1

Part No. 68146834CA



PENNZOIL SAE 10W-30 PLATINUM FULL SYNTHETIC

Provides unsurpassed levels of performance, cleaning power and engine wear protection. Service fill for 1997-2005 Viper 8.0L.

946 mL Bottle

MSQ: 6

Part No. 05166242CA

5 L Bottle

MSQ: 3

Part No. 68224345CA

Note: The photos shown on this page may not be representative of actual product.

ENGINE OILS



SAE 0W-20 MOPAR MAX PRO PLUS

Approved to service all engines that require SAE 0W-20 engine oils.

946 mL Bottle MSQ: 12

Part No. 68218950CA

5 L Bottle MSQ: 3

Part No. 68218951CA

208.2 L Drum MSQ: 1

Part No. 68218952CA



SAE 5W-20 MOPAR ENGINE OIL

Rating API SM Energy Conserving, ILSAC GF-4
Specially developed with Chrysler engineering, this product exceeds requirements for API Certified SM engine oils. This higher quality engine oil will help increase fuel economy, reduce piston deposits, improve oxidation protection and reduce oil consumption.

946 mL Bottle MSQ: 12

Part No. 68218890CA

5 L Bottle MSQ: 3

Part No. 68218891CA

208.2 L Drum MSQ: 1

Part No. 68218892CA



SAE 5W-30 MOPAR ENGINE OIL

Rating: API SM / GF-4 Energy Conserving
Approved to service all engines that require SAE 5W-30 engine oils in all climates. Suitable for use in gasoline, flexible fuel (E85) and turbo charged engines. Improves fuel economy, provides excellent high temperature lubrication and low temperature pumpability.

946 mL Bottle MSQ: 12

Part No. 68218920CA

5 L Bottle MSQ: 3

Part No. 68218921CA

208.2 L Drum MSQ: 1

Part No. 68218922CA



SAE 10W-30 MOPAR ENGINE OIL

Rating: API SM, Energy Conserving, ILSAC GF-4
Approved to service all engines that require SAE 10W-30 engine oils in all climates. Approved for use with pre-2004 turbocharged engines. Suitable for use in both gasoline and flexible fuel engines. Provides excellent lubrication under high load, high heat conditions.

946 mL Bottle MSQ: 12

Part No. 68218930CA

5 L Bottle MSQ: 3

Part No. 68218931CA

208.2 L Drum MSQ: 1

Part No. 68218932CA



SAE 15W-40 MOPAR ENGINE OIL

Rating: API CJ-4/CI-4+
6700 CJ-4 rated engine oil for Dodge truck with low emissions 6.7L Cummins turbo diesel engine. Approved for older 5.9L Cummins diesel engine operating on low or high sulfur fuel.

946 mL Bottle MSQ: 12

Part No. 68218940CA

5 L Bottle MSQ: 3

Part No. 68218941CA

208.2 L Drum MSQ: 1

Part No. 68218942CA



DIESEL FRESH™

Formulated with premium quality 15W-40 CI-4 diesel oil and a proprietary lemon odorant. This oil additive helps neutralize the naturally occurring unpleasant odor of diesel engine oil.

118 mL Bottle

MSQ: 12

Part No. 05139947AA

AUTOMATIC TRANSMISSION FLUIDS



ZF 8 & 9-SPEED ATF®

Formulated as a high quality fluid specifically for the ZF 8HP45 & ZF 9HP45 transmission used in Chrysler Group LLC vehicles. Approved by Chrysler Engineering to ensure smooth and quiet operation. Provides superior lubrication to reduce wear. Meets ZF specifications.

946 mL Bottle MSQ: 6
Part No. 68218925AA



ATF+4®

The approved automatic transmission fluid for all vehicles factory filled with ATF+4.

946 mL Bottle MSQ: 12
Part No. 68218057CA
 5 L Bottle MSQ: 3
Part No. 68218058CA
 208.2 L Drum MSQ: 1
Part No. 68218054CA



ASRC™ ATF

Formulated as an exceptionally high performance lubricant for use in AS68RC and AS69RC slip-controlled lock-up automatic transmissions. Recommended for use in transmissions made by Aisin-Seiki requiring Type T-IV fluids. Refer to vehicle owner's manual for proper fluid requirements.

946 mL Bottle MSQ: 12
Part No. 05189966AB
 3.785 L Bottle MSQ: 4
Part No. 05189977AB



CVTF+4 TRANSMISSION FLUID

Mopar® CVT fluid is specially formulated for Constant Variable Transmission in PM/MK body.

946 mL Bottle MSQ: 12
05191184AA
 3.785 L Bottle MSQ: 3
05191185AA



SP-IV AUTOMATIC TRANSMISSION FLUID

This ATF is specifically designed and approved by Chrysler Engineering for use in the 6-speed automatic Powertech® transmission for front wheel drive or all-wheel drive Chrysler Group LLC vehicles (only transverse engine layout). Controls oxidation and minimizes the formation of deposits.

946 mL Bottle MSQ: 12
Part No. 68171866AA
 3.785 L Bottle MSQ: 4
Part No. 68171869AA



MB236.12 AUTOMATIC TRANSMISSION FLUID

This fluid is specifically designed for Chrysler Crossfire and Dodge Sprinter automatic transmissions. Not intended for use in power steering systems or other Chrysler transmissions. Meets MB236.12.

946 mL Bottle MSQ: 12
Part No. 05127382AB



DEXRON®-VI AUTOMATIC TRANSMISSION FLUID

For use only in Chrysler Hybrid Electric Vehicle (HEV) transmissions. Controls oxidation and helps reduce formation of deposits.

946 mL Bottle MSQ: 12
Part No. 68043742AB

Note: The photos shown on this page may not be representative of actual product.

DIESEL FLUIDS



New Federal Emission requirements — for many diesel vehicles including all 2011 and 2012 Ram 3500/4500/5500 Diesels require a new chemical to operate.

DIESEL EXHAUST FLUID (DEF)

DEF is carried in a separate tank on board the vehicle and injected into the exhaust system. DEF consumption is expected to be approximately 2% of fuel consumption.



DIESEL EXHAUST FLUID

3.785 L Bottle

MSQ: 4

Part No. 68035704AB

SPILL FREE NOZZLE (NOT SHOWN)

For use with 3.785 L and 9.46 L Diesel Exhaust Fluid.

MSQ: 1

Part No. 68083422AA



DIESEL EXHAUST FLUID

9.46 L Bottle

MSQ: 2

Part No. 68056278AB

SPILL FREE NOZZLE (NOT SHOWN)

For use with 3.785 L and 9.46 L Diesel Exhaust Fluid.

MSQ: 1

Part No. 68083422AA

A male mechanic with dark hair, wearing a blue polo shirt, is smiling and looking towards the camera. He is working on the engine of a car, which is elevated on a blue lift. The background shows a typical garage setting with tiled walls and various tools. The word "PROTECT" is overlaid in large, white, bold, sans-serif capital letters across the middle of the image.

PROTECT

HELP YOUR CUSTOMERS PROTECT THEIR INVESTMENTS

Your customers depend on their Chrysler, Jeep, Dodge, Ram, SRT® and FIAT® vehicles to deliver reliable performance mile after mile. That's why you should depend on Mopar® Fluids, lubricants and other tech tools. Mopar offers a full line of O.E. products, including Gear Lubricant, Brake Fluid, Power Steering Fluid, Combustion Chamber Cleaner and more.

GEAR & AXLE LUBRICANTS



GEAR & AXLE LUBRICANT SAE 80W-90

General purpose GL-5 gear lubricant. Use in select Dana axles as specified. Replaces SAE 90.

60 L Drum
MSQ: 1

Part No. 68218043CA



GEAR & AXLE LUBRICANT SAE 80W-90

General purpose GL-5 gear lube. Use in rear axles as specified. Excellent wear and noise protection.

946 mL Bottle
MSQ: 12 Bottles

Part No. 68218041CA



SYNTHETIC GEAR & AXLE LUBRICANT SAE 75W-140

High-performance synthetic GL-5 gear lubricant. Recommended for trailer tow, heavy duty, and high load in 2 X 4 and 4 X 4 applications.

60 L Drum
MSQ: 1

Part No. 68218658CA



SYNTHETIC GEAR & AXLE LUBRICANT SAE 75W-140

High-performance synthetic GL-5 gear lube. Also highly recommended for LX body rear axle. Recommended for trailer tow and heavy-duty, high-load vehicles.

946 mL Bottle
MSQ: 12 Bottles

Part No. 68218657CA



SYNTHETIC GEAR & AXLE LUBRICANT SAE 75W-90

GL-5 formula for use in all Chrysler USA corporate axles (205mm, 8.25").

60 L Drum
MSQ: 1

Part No. 68218656CA



SYNTHETIC GEAR LUBRICANT SAE 75W-90

Specifically formulated for improved fuel efficiency while providing exceptional antiwear properties. For use in all Chrysler – USA Corporate axles.

946 mL Bottle
MSQ: 12 Bottles

Part No. 68218655CA



SYNTHETIC GEAR LUBRICANT SAE 75W-90

SAE 75W-90 for use specifically in DR 2500-3500 and axles produced by American Axle Manufacturing.

946 mL Bottle
MSQ: 12 Bottles

Part No. 68218654AA



REAR AXLE LUBRICANT

Rear Axle Lube for ZF-ELSD Assembly.

1 L Bottle
MSQ: 4 Bottles

Part No. 68083381AA

GEAR & AXLE LUBRICANTS



MANUAL TRANSSAXLE AND QUADRA-TRAC LUBRICANT

Unique lubricant specially formulated for the NV T350 transaxle and Jeep® Q-trac. Required to maintain shift properties.

946 mL Bottle
MSQ: 12 Bottles
Part No. 04874465



MANUAL TRANSMISSION LUBRICANT

Unique lubricant specially formulated for the NV 3500 and NSG 370 transmissions. Required to maintain shift properties.

946 mL Bottle
MSQ: 12 Bottles
Part No. 04874464



SYNTHETIC MANUAL TRANS LUBRICANT SAE 75W-85

Unique SAE 75W-85 lubricant specially formulated for Dodge Viper and the NV 4500 transmission. Required to maintain shift properties.

946 mL Bottle
MSQ: 12 Bottles
Part No. 04874459



SYNTHETIC AXLE LUBRICANT SAE 75W-85

This fully synthetic GL-5 fluid is intended for use only in the Chrysler Crossfire axle assembly. Not intended for use in other Chrysler Group LLC vehicles.

946 mL Bottle
MSQ: 12 Bottles
Part No. 05136035AA



C SERIES DDCT SAE 75W HYDRAULIC FLUID

Fully synthetic lubricant specifically for cars with Selespeed gearboxes. Cleans mechanical parts and provides extreme fluidity when cold, and protection when hot.

946 mL Bottle
MSQ: 6 Bottles
Part No. 68092638AA



C SERIES MANUAL & DUAL DRY CLUTCH TRANSMISSION FLUID

Specifically blended for the C51 O/C514/C635 Manual Transmissions and C635/C725/C735 Dual Dry Clutch Transmissions. Maintains component durability, shift quality and cold temperature properties. Not intended for conventional automatic transmissions, power steering systems or other transmissions unless specified in your Chrysler/FIAT® service manual.

946 mL Bottle
MSQ: 12 Bottles
Part No. 68092630AA

3.785 L Bottle
MSQ: 4 Bottles
Part No. 68092636AA

GEAR & AXLE LUBRICANTS



LIMITED SLIP ADDITIVE
Reduces wear, noise and chatter in limited slip (Sure-Grip, Trak-Lok, Power-Lok) differentials. Should be added whenever the gear oil is changed or improper limited slip operation is detected.

120 mL Bottle
MSQ: 24 Bottles
Part No. 04318060AB



TRANSFER CASE LUBRICANT NV245/NV247/NV249
All new convenient squeeze bottle.

946 mL Bottle
MSQ: 12 Bottles
Part No. 05016796AC



TRANSFER CASE LUBRICANT NV146
Specially formulated high performance lubricant required for carbon fiber clutch plates used in the Jeep® Grand Cherokee SRT8 NV 146 transfer case.

946 mL Bottle
MSQ: 6 Bottles
Part No. 68001758AA



TRANSFER CASE LUBRICANT NV246
Unique lubricant required for NV246 in 2006 DR Truck.

950 mL Bottle
MSQ: 12 Bottles
Part No. 05179014AA



TRANSFER CASE LUBRICANT FOR BORGWARNER 44-40
Formulated for use in LX (Charger 300) BorgWarner 44-40 Transfer Case. Not recommended for use in other applications. Suitable for Type A (Suffix A), Dexron, and Type F transmission fluid applications, or where an SAE 10W-20 engine oil is specified.

1 L Bottle
MSQ: 12 Bottles
Part No. 68049954AA



TRANSFER CASE LUBRICANT FOR BORGWARNER 44-44
Specified for use in BorgWarner 44-44 Transfer Case. Not recommended for use in other applications. Consult vehicle service manual for further information.

946 mL Bottle
MSQ: 6 Bottles
Part No. 68089195AA



TRANSFER CASE LUBRICANT FOR LX
Unique lubricant for LX body transfer case meets MB274.

946 mL Bottle
MSQ: 4 Bottles
Part No. 05170055AB



VITAMOL ZH-M HYDRAULIC FLUID
Recommended for Chrysler Sebring (JS-27) convertible/retractable hardtop system.

500 mL Bottle
MSQ: 4 Bottles
Part No. 68035321AA

Note: The photos shown on this page may not be representative of actual product.

POWER STEERING & BRAKE FLUIDS



HYDRAULIC SYSTEM POWER STEERING FLUID

Specifically developed for WK hydraulic/power steering systems.

946 mL Bottle
MSQ: 4 Bottles
Part No. 05142893AA



ELECTRIC STEERING PUMP FLUID

This fluid is approved for EPS pump systems and meets Chrysler material specification MS-11655. Do not mix power steering fluid types. Severe electrical power steering pump damage may result if a different fluid is used. Do not overfill.

473 mL Bottle
MSQ: 6 Bottles
Part No. 68088485AA



POWER STEERING FLUID +4

Convenient, easy-to-pour, pint-sized container. Meets Chrysler material specification for post 1998 Chrysler power steering systems that require MS-9602 and MS-5931 fluid. Compatible with ATF+4.

946 mL Bottle
MSQ: 12 Bottles
Part No. 68218064AA



DOT 3 BRAKE FLUID

For use in hydraulic brake systems specifying DOT 3 brake fluid or disc or drum brakes. Meets or exceeds SAE and federal specifications.

350 mL Bottle
MSQ: 12 Bottles
Part No. 0BF00014

4 L Bottle
MSQ: 4
Part No. 0BF00015

20 L Drum
MSQ: 1 Drum
Part No. 0BF00013



BRAKE & CLUTCH FLUID DOT 4 MOTOR VEHICLE

Specially blended to withstand heat and pressure. DOT 4 fluid meets all DOT requirements for DOT 4.

500 mL Bottle
MSQ: 12 Bottles
Part No. 0BF00016

LUBRICANTS & GREASE



GENERAL PURPOSE HIGH-TEMP WHEEL BEARING GREASE

Extreme-temperature, extreme-pressure grease. Use on wheel bearings, ball joints, tie rod ends, clutch linkages, axle bearings, driveline splines and slip yokes.

500 G. Tub
MSQ: 4 Tubs
Part No. 0VU01419



MULTI-MILEAGE LUBE

An excellent suspension and steering linkage grease. A barium-based grease that stands up to punishing conditions. Protects and reduces wear on ball joints, tie rod ends, universal joints and axle shaft bearings.

411 G Cartridge
MSQ: 10 Cartridges
Part No. 04897841AA



MULTI-PURPOSE GREASE

General purpose grease for lubricating clutch torque shaft bearings, clutch release bearing sleeves, clutch release forks, brake assemblies, wheel bearings and more (NLGI - 2 certified).

411 G Cartridge
MSQ: 10 Cartridges
Part No. 05083150AA



GENERAL PURPOSE HIGH-TEMP WHEEL BEARING GREASE

400 G Cartridge
MSQ: 10 Cartridges
Part No. 0VU01418



RUBBER BUSHING INSTALLATION LUBE

An excellent lubricant that quickly becomes a dry film. Aids in the installation and assembly of press-fit rubber bushings. Will not deteriorate or degrade rubber.

118 mL Can
MSQ: 1 Can
Part No. 05010319AB



WHITE LITHIUM GREASE

An all purpose lithium grease ideal for hinges and slide tracks.

85 G Tube
MSQ: 6
Part No. 68003883AB

SPECIALTY PRODUCTS

The following "Specialty Products" have been identified in a Service Bulletin for specific service procedures. Refer to the Service Bulletin for application information.

Description	Part No.	Contents	MSQ
Nye® Synthetic Lubricant	05018626AA	30 G Tube	1
Nye® Dielectric Grease	05013781AA	56 G	1
Liquid Gasket for MMC	MD974421	85 G Tube	1

RUBBER LUBRICANT

Apply liberally to tire beads to ease mounting on rims. Also helps remove protective colour from raised letters on tire sidewalls. Helps eliminate squeaks from rubber grommets and bushings on suspension parts and stabilizing bars. Restore new look to tires and rubber floor mats. Handy cloth swab specially designed for use on tires and rims

5 L Bottle
MSQ: 4
Part No. 0TT00072

LUBRICANTS & GREASE



BRAKE LUBRICANT

Superior lubricant to prevent noise, squeaks and backing plate wear. Lubricates contact points between brake shoes and backing plates. Required on NS minivan.

50 G Tube
MSQ: 1 Tube
Part No. 04796269



BRUSHING GREASE

Rubber brushing lubricant. Aids in the installation and assembly of press-fit rubber bushings.

56 G Tube
MSQ: 1 Tube
Part No. 68028730AB



OUTPUT SHAFT ASSEMBLY LUBRICANT

Specifically designed to be applied to the transmission output shaft on LX vehicles during assembly.

50 G Tube
MSQ: 1
Part No. 68002256AA



DIELECTRIC GREASE

A silicone-based, electrically thermal insulating grease for use on wiring harnesses, bulkhead connectors, spark wires and other electrical connections. Prevents dirt, grease and moisture from contaminating connection and causing open circuits.

56 G Tube
MSQ: 12 Tubes
Part No. J8126688



METAL ASSEMBLY PASTE

Contains Molybdenum disulfide. Excellent performance under extreme pressure. For use on the Dodge Sprinter.

79 G Tube
MSQ: 1 Tube
Part No. 05127534AA

TECH TOOLS



CAVITY WAX KIT

Custom installation kit includes one flexible direct spray wand, one flexible fan spray wand, and one rigid fan spray wand, and two bottles of cavity wax.

MSQ: 1 Kit

Part No. 68042969AA

CAVITY WAX KIT REFILL

To maintain the integrity of the repair following any welding or repairs where metal is exposed.

MSQ: 4 Bottles

Part No. 68042970AA



COMBUSTION CHAMBER CLEANER

Cleans carburetors, intake manifolds, intake and exhaust valves, pistons and combustion chambers. Removes deposits, eliminates carbon knock and restores performance.

385 G Aerosol Can

MSQ: 12 Cans

Part No. 0VU00788

500 G Aerosol Can

MSQ: 12 Cans

Part No. 0VU01788



THROTTLE BODY CLEANER

Quickly removes deposits and carbon buildup from throttle bodies, carburetors, chokes, linkages and PCV valves. Meets C.A.R.B. automotive product VOC standards.

425 G Aerosol Can

MSQ: 12 Cans

Part No. 0VU01446



ELECTRICAL CONTACT CLEANER

Cleans and loosens any oxidation deposits from all kinds of electrical terminals, connectors or contacts. Removes oxide and sulphide deposits, residue, resin, oil or dirt. Eliminates distortion and the occurrence of unreliable resistance or cracking noises. Safe for use on automotive circuit boards. Specify non-chlorinated.

275 G Aerosol Can

MSQ: 12 Cans

Part No. 0VU01534



BRAKE & PARTS CLEANER NON-CHLORINATED

Removes oil, grease and brake fluid residue from all metal brake parts. Loosens brake dust for easy removal.

390 G Aerosol Can

MSQ: 12 Cans

Part No. 0VU01497AB

20 L Pail

MSQ: 1 Pail

Part No. 0VU01502



BRAKE AND PARTS CLEANER PUMP

Metal pump designed for use with bulk 20-litre Brake Cleaner

MSQ: 1 Pump

Part No. 0VU01511



BRAKE DUST INHIBITOR

Prevents oil, grease and brake dust from sticking. Protects against winter salt and road chemicals.

237 mL Bottle

MSQ: 12 Bottles

Part No. 68049692AA

Note: The photos shown on this page may not be representative of actual product.

TECH TOOLS



SPRAY WHITE LUBE LITHIUM GREASE

An all-purpose, lithium-based white grease for automotive and general purpose applications. Ideal for hinges, slide tracks and lock mechanisms.

300 G Aerosol Can
MSQ: 12 Cans
Part No. 0VU01491



SILICONE SPRAY LUBE

Ideal for all sticking and/or squeaking, sliding or hinged contact points. Makes locks operate smoothly and protects from freezing. Not for use on plastic or rubber components.

300 G Aerosol Can
MSQ: 12 Cans
Part No. 0VU01496



PENETRATING FLUID

Superior formula to loosen virtually all rusted and corroded parts. Excellent heat valve solvent.

290 G Aerosol Can
MSQ: 12 Cans
Part No. 0VU00100



MULTI-PURPOSE LUBE

Displaces moisture from wet ignition system and leaves a moisture-resistant barrier. Penetrates metal fittings to ease disassembly and provides short-term rust prevention and protection.

175 G Aerosol Can
MSQ: 12 Cans
Part No. 0VU01463



GEAR MARKING COMPOUND

Brightly colored gear marking compound to aid in assembly and adjustment of ring and pinion preload or lash. Convenient brush-top can.

118 mL Can
MSQ: 1 Can
Part No. 04883065



TRANSMISSION COOLER FLUSH

For back-flushing ATF cooler and lines. Dissolves and flushes unwanted particles in transmission system. Does not foam up and is compatible with transmission cooler system components.

3.785 L Bottle
MSQ: 6 Bottles
Part No. 04796268



NICKEL ANTI-SEIZE LUBRICANT

Helps protect metal parts from seizure and galling. Recommended for applications requiring protection from corrosive environments. High-temperature protection up to 1427 degrees Celsius (2600 degrees Fahrenheit).

454 G Bottle
MSQ: 1 Bottle
Part No. 0VU01307

Note: The photos shown on this page may not be representative of actual product.

TECH TOOLS



DIESEL TURBOCHARGER CLEANER

Formulated as a non-flammable, water-based solvent for removing soot accumulation on internal diesel turbocharger exhaust components. For use with compatible service kit.

396 G Aerosol Can
MSQ: 12 Cans
Part No. 68044565AA



EGR SYSTEM CLEANER

For use with appropriate Service Manual cleaning procedure. Must be diluted with water.

1 L Bottle
MSQ: 6 Bottles
Part No. 68028729AA

SEALANT APPLICATIONS

Part No.	Description	Colour	Recommended Usage
0VU01508	Gasket Sealing Compound	Brown	Coolant
04318083	Gasket Maker	Red	Metal to Metal
04883971	Engine RTV	Black	Engine Oil
05010884AA	ATF-RTV	Black	Automatic Transmissions
05013477AA	Axle RTV	Orange	Axle Section
82300234	World Engine Oil/Trans/ Glycol Sealant RTV	Gray	Gear Lube



ATF-RTV

Silicone Rubber RTV developed specifically to retain sealing and adhesion properties when exposed to automatic transmission fluid.

85 G Tube
MSQ: 12 Tubes
Part No. 05010884AA



AXLE-RTV

The only RTV Sealer approved for use in Chrysler built axles using Mopar® SAE 75W-90 Axle Lubricant P/N 68218655CA. This is the only factory used sealer compatible for use with this lubricant.

85 G Tube
MSQ: 12 Tubes
Part No. 05013477AA



THREBOND™ ENGINE RTV

Formulated as a high performance temperature vulcanized silicone. It has good elasticity, temperature and chemical resistance when cured. Highly resistant to oils such as motor oil, transmission fluid or gear oil. Not recommended for sealing engine coolant.

150 G Tube
MSQ: 1 Tube
Part No. 68082860AA



ENGINE SEALANT RTV SILICONE RUBBER ADHESIVE

Use to seal components exposed to engine oil. Specifically designed black silicone rubber RTV retains adhesion and sealing properties when exposed to engine oil.

85 G Tube
MSQ: 12 Tubes
Part No. 04883971

TECH TOOLS



GASKET MAKER

Use when assembling metal-to-metal components. Red anaerobic sealer fills gaps to .030" and cures to a flexible seal in one to eight hours. Excellent resistance to solvents and gasoline.

50 G Tube
MSQ: 10 Tubes
Part No. 04318083



GASKET SEALANT

Slow drying, permanently soft sealer. Recommended for sealing threaded fittings and gaskets against leakage of oil and/or antifreeze/coolant. Use on threaded and machined parts under all temperatures. Prevents corrosion.

255 G Aerosol Can
MSQ: 12 Cans
Part No. 04318035AC



GASKET SEALING COMPOUND

Sets up fast to hold gasket in place. Remains tacky until exposed to engine operating temperature. Used on gaskets, threaded fittings and oil seals.

255 G Aerosol Can
MSQ: 12 Cans
Part No. 0VU01508



SILICONE RUBBER RTV

Silicone Rubber RTV developed specifically to be engine oil, gear lubricant and coolant compatible. Excellent adhesion, even on oily surfaces. Withstands temperatures to 635°F (330°C).

85 G Tube
MSQ: 12 Tubes
Part No. 82300234



HYLOMAR GASKET DRESSING/FLANGE SEALANT

High tack gel sealant that is non-hardening, for easy disassembly of flanged components even after long-term operation. Temperature range -60°F to 600°F. Resists fuels, lubricants, water, glycol and related engine fluids. Contains no ODC/VOC solvents.

30 G Tube
MSQ: 6 Tubes
Part No. 05127819AA



BUTYL TAPE

Use on older vehicles as adhesive caulking for bonding glass to metal. Forms a windproof and waterproof seal. Not for use in place of urethane. Each roll contains 4 feet of 3/8" bead Butyl Tape.

4' Roll
MSQ: 1 Roll
Part No. 04076274AB



VINYL FOAM TAPE

Builds up low spots in doors and trunks. Weatherstrips to seal out leaks and noise. Easy to cut to exact length; adheres quickly and securely. Each roll contains 30 feet of 3/16" (thick) by 1" (wide) tape.

30' Roll
MSQ: 1 Roll
Part No. 04318028

Note: The photos shown on this page may not be representative of actual product.

TECH TOOLS



BATTERY TERMINAL PROTECTOR PADS
2 Pads
MSQ: 25 Pouches
Part No. 68048547AA



WEATHERSTRIP ADHESIVE
Adheres weatherstripping to painted metals for a permanent bond. Withstands heat and freezing conditions; also resists gasoline, kerosene, antifreeze and most solvents.
142 G Tube
MSQ: 10 Tubes
Part No. 04773774



WEATHERSTRIP LUBRICANT
Unique Krytox (synthetic fluorinated lubricant) formulation lubricates weatherstripping to prevent it from sticking to door glass and frames. Clear fluid provides long-lasting lubrication. Will not stain or mar clothing. Features built-in sponge applicator.
30 mL Bottle
MSQ: 1 Bottle
Part No. 04773427



BOND-ALL GEL
Super adhesive glue instantly bonds a wide variety of materials. Thick, no-run glue for use on weather stripping, bumper rub strips, body side moldings and many other items where permanent repair is needed.
3 mL Tube
MSQ: 10 Tubes
Part No. 04467709



WINDSHIELD INSTALL PACKAGE
Contains: Tube Urethane Adhesive (310 mL), Metal Primer (33 mL), Glass Primer (33 mL), Application Dauber (1), Foam Spacers (10), and Windshield Supports (2).
MSQ: 1
Part No. 04864015AC



REAR WINDOW DEFOGGER REPAIR KIT
• Repairs scratched or broken rear window defogger/defroster grid lines
• Quick and easy 10-minute repair
• High electrical conductivity
• Dries to a colour that matches the heating element
Applications: To repair scratched or broken rear window defogger/defroster grid lines.
1.4 mL Kit
MSQ: 1 Kit
Part No. 0VU01331

Note: The photos shown on this page may not be representative of actual product.

TECH TOOLS



REAR VIEW MIRROR ADHESIVE

Two part, single application package of accelerant and adhesive to permanently rebond inside rear view mirror to windshield. (Non-TCE Formula)

.06 mL Kits
MSQ: 10 Kits
Part No. 05015983AB



SILICONE WINDSHIELD & GLASS SEALER

Clear, flowable sealant for windshields, sunroofs and headlamp assemblies. Flows into leaks like water, but dries to a tough, flexible waterproof seal that is resistant to temperature changes, vibration and shock.

42 G Tube
MSQ: 12 Tubes
Part No. 04467708



LOCK & SEAL ADHESIVE

Locks nuts and bolts to prevent vibration loosening, wear and thread corrosion. Seals against air, oil, fuel and hydraulic leaks. Can be disassembled. Blue threadlocking compound.

6 mL Tube
MSQ: 10 Tubes
Part No. 04318031



STUD N' BEARING MOUNT ADHESIVE

Securely locks studs and high-strength fasteners into place. Retains bearings to prevent spin out. Strengthens light press fittings, permanently locks nuts and bolts, prevents leaks. Requires heat for disassembly. Red threadlocking compound.

6 mL Tube
MSQ: 10 Tubes
Part No. 04318032



BUZZ, SQUEAK & RATTLES

These items may help eliminate noises.

Anti-Squeak Tape
MSQ: 24
Part No. 05019054AA
Flock Tape
MSQ: 24
Part No. 05019055AA
Foam Tape
MSQ: 24
Part No. 05019056AA, 05019057AA, 05019058AA
Oil Lubricant
MSQ: 1
Part No. 05019059AA

Note: The photos shown on this page may not be representative of actual product.

TECH TOOLS



SUPER GLUE

- A superior performance automotive and industrial strength, general purpose super glue
 - Fast setting, strong adhesive for bonding most materials
 - Better choice than epoxies for bonding parts with little or no gap
 - Makes durable, clear bonds
- Applications: Rubber, metal, wood, ceramic, porcelain, leather, vinyl, paper, cork, fabric, most plastics.

3 G Tube

MSQ: 1 Tube

Part No. 0VU01454



THREADLOCKER BLUE

- OEM specified
 - Removable strength, general purpose
 - Designed for fasteners ¼-inch to 1-inch (6 mm to 25 mm)
 - Protects threads from corrosion
 - Prevents vibration loosening
 - Removable with hand tools
- Applications: Valve cover bolts, oil pan bolts, water pump bolts, drive shaft bolts, rocker arm adjustment nuts, carburetor studs and any similarly threaded assembly.

6 mL Tube

MSQ: 1 Tube

Part No. 0VU01161



THREADLOCKER RED

- OEM specified
- Permanent, high-strength thread locker
- Designed for locking fasteners 3/8-inch (10 mm to 25 mm)
- Withstands heavy shock, vibration and extreme chemical or environmental conditions
- Prevents vibration loosening
- Protects threads from corrosion
- Extra effort and localized heat may be required for removal

Applications: Assembly with air tools, cylinder block bolts, ring gear bolts, transmission shaft bolts, shock absorber bolts, frame bolts and similar fasteners subject to higher shock and vibration.

6 mL Tube

MSQ: 1 Tube

Part No. 0VU01159

HAND CLEANERS



DISPENSER FOR BAG-IN-BOX

Dispenser for Ultra-Max and Orange Scent Hand Cleaner.

1 Dispenser

MSQ: 1 Dispenser

Part No. 04897618AA



HAND CLEANER/NATURAL CITRUS

Citrus scented hand cleaner with aloe, lanolin and jojoba to clean hands quickly and naturally without harsh solvents. Contains pumice to remove heavy grime.

3.785 L Bottle

MSQ: 4 Bottles

Part No. 82300022AB



ENHANCE

For many Chrysler, Jeep®, Dodge, Ram, SRT® and FIAT® vehicle owners, great looks are just as important as great performance. That's why Mopar® offers a full line of consumer products such as premium waxes, wheel cleaners, touch-up paints and more. For the pros in your body shop, Mopar® also offers professional vehicle prep and detail items, including buffing wheels and sanding blocks. Do it right with Mopar.

VEHICLE PREP AND DETAIL



TIRE TREATMENT

Spray and wipe to enhance tire appearance. Designed as an occasional use product, exclusively for tires and sidewalls.

473 mL Trigger Spray Bottle
MSQ: 6 Bottles
Part No. 04796240AC



CHROME CLEANER

Excellent chrome surfaces cleaner. Specifically formulated for use on surfaces that are exposed to weather or water. Use on chrome bumpers; wheels, including chrome-clad wheels; mirror backs and grilles.

473 mL Bottle
MSQ: 6 Bottles
Part No. 04318013AC



BUG & TAR REMOVER

Wipes away gummy substances such as tar, asphalt, oil and undercoating from automobile finishes. Also helps keep interiors looking new by removing grease, wax, lipstick and gum from upholstery.

946 mL Can
MSQ: 6 Cans
Part No. 0MS00121



VINYL PROTECTOR & CONDITIONER

Helps beautify and protect rubber, vinyl, plastic and leather. Leaves a high gloss on surface to help provide long lasting protection from airborne pollutants.

227 mL Bottle
MSQ: 12 Bottles
Part No. 0VU01424AB



JEEP® SOFT GLASS WINDOW CLEANER

Safely cleans all plastic windows without scratching. Removes fine scratches to improve visibility and provides UV protection to help prevent yellowing. Simply rinse window, then apply Jeep® Soft Window Cleaner with a clean towel.

473 mL Bottle
MSQ: 6 Bottles
Part No. 05012248AC

VEHICLE PREP AND DETAIL



SOFT TOP ZIPPER CLEANER & LUBRICANT

Specially formulated to clean and lubricate all types of plastic and metal zippers. The patented push/pull dispenser brush removes harmful dirt, sand, and salt deposits. Rinses away, yet leaves a unique protective film which lubricates without collecting residue. Biodegradable; contains no silicones or wax.

59 mL Bottle
MSQ: 12 Bottles
Part No. 05066440AA



ONE STEP POLISH

A blend of polymers and polishing agents for removal of swirls, fine scratches and light oxidation. Leaves durable polymer coating. Formulated for modern clear-coat finishes.

473 mL Bottle
MSQ: 12 Bottles
Part No. 0MS00119



CLOTH TOP CLEANER CONCENTRATE

Formulated to clean cloth tops. Concentrated formula makes 6 to 8 gallons of cleaning solution. For vinyl tops use Mopar Vinyl Top Cleaner PN 04856593AB.

473 mL Bottle
MSQ: 6 Bottles
Part No. 05012245AC



CLOTH TOP TREATMENT

Restores water-repellent nature to cloth convertible tops. Simply spray on and allow to dry. Use in conjunction with Cloth Top Cleaner Concentrate.

473 mL Trigger Spray Bottle
MSQ: 6 Bottles
Part No. 05012246AB



WHITEWALL & VINYL TOP CLEANER

Effectively and easily removes scuff marks and abrasions from whitewall tires, vinyl and convertible tops. Also excellent on floor mats. Safe for use near paint, glass, rubber or chrome. Not for use on cloth tops. For cloth tops use Convertible Cloth Top Cleaner Concentrate PN 05012245AA.

473 mL Pump Spray Bottle
MSQ: 6 Bottles
Part No. 04856593AB



SPOT & STAIN REMOVER

Excellent for removing spots or stains of grease, oil, wax, lipstick and chewing gum from clothing and interior auto fabric.

500 mL Bottle
MSQ: 12 Bottles
Part No. 0VU01498

VEHICLE PREP AND DETAIL



RAIN REPELLANT WINDSHIELD WASHER FLUID

Removes insect debris, oily films, grime, dirt, frost, and ice. Also waterproofs windshield; rain and snow bead on the windshield and roll right off. Ready to use. No mixing required. Protects to -25°F (-32°C).

1.892 L Bottle
MSQ: 6 Bottles
Part No. 05139804AA



PREMIUM WINDSHIELD WASHER SOLVENT/DE-ICER

Removes frost; won't refreeze after spraying on frosted windshield. Provides freeze protection to -25°F (-32°C). Formulated for all-season use. Ready to use. No mixing required.

1.892 L Bottle
MSQ: 6 Bottles
Part No. 05139803AA



WINDSHIELD WASHER ANTIFREEZE

Four season pre-mixed formula. Antifreeze protection to -40°C .

3.78 L Bottle
MSQ: 4
Part No. 0VU01321



ENGINE SHAMPOO

Formulated to remove dirt, oil and grease. Will not harm painted surfaces, wires, alternators, hoses. Contains no phosphates. Just spray on, let soak and hose off.

475 G Aerosol Can
MSQ: 12 Cans
Part No. 0VU01443

20 L Pail
MSQ: 1
Part No. 0VU01070AC



PHOSPHATE-FREE CAR WASH

The Mopar® Car Wash Powder makes over 1300 gallons of ready-to-use solution. It is designed to provide lots of gentle foaming suds for safe, streak-free results. Mixed solution can be used for either hand or power washing. One container cleans over 600 vehicles.

14 Lb. Pail (Powder)
MSQ: 1 Pail
Part No. 04883967

VEHICLE PREP AND DETAIL



SATIN SELECT

Removes minor surface contaminants on interior trim, leaving a low gloss appearance. Minimizes dashboard reflection and will not leave a shiny or greasy surface. Safe for use on plastic, vinyl, leather, painted surfaces and offers additional UV protection.

473 mL Trigger Spray Bottle
MSQ: 12 Bottles
Part No. 05174395AA



CARPET CLEANER

Premium formula foaming action cleaner removes dirt and stains from interior carpeting. Perfect for new vehicle prep or used vehicle reconditioning. Chrysler Engineering approved.

510 G Aerosol Can
MSQ: 12 Bottles
Part No. 05175050AA



TOTAL CLEAN TRIGGER SPRAY

Superior cleaner for use on interiors. Has a pleasant scent. Deodorizes and restores fresh scent to vehicle. Use on fabric, velour, carpet, leather and vinyl. Ready-to-use formula; no mixing required.

473 mL Trigger Spray Bottle
MSQ: 12 Bottles
Part No. 04897840AB

3.785 L Bottle
MSQ: 6 Bottles
Part No. 04318020AC



GLASS CLEANER

Streak-free, maximum cleaning formula removes dirt, grime, oil and even freshly-sprayed paint from glass. Year-round formulation. A must for every dealership.

525 G Aerosol Can
MSQ: 12 Cans
Part No. 0VU01202



GLASS CLEANER

Reformulated for automotive and household use. Quickly removes haze, smudges, smears and film. Streak-free formula.

651 mL Bottle
MSQ: 12 Bottles
Part No. 0MS00120

Note: The photos shown on this page may not be representative of actual product.

VEHICLE PREP AND DETAIL



WAX TREATED POLISHING CLOTHS

Wax treated, cotton flannel polishing cloths will not scratch finish. They remove dirt and grime from car body, plastics, chrome and furniture. Great for cleaning or dusting instrument panels. Available either bagged or boxed.

One 390 Sq. In. Cloth in Display Bag
MSQ: 24 Cloths
Part No. 04318012



CORROSION INHIBITOR

Heat-resistant clear coating that protects unpainted metal to prevent rust or corrosion. Dries to a minimal gloss.

141.7 G Spray Can
MSQ: 1 Can
Part No. 05179671AA



TOUCH-UP PAINT DISPLAY STAND

Premium quality, exact match paints for perfect touch-up jobs. Available in 14.78 mL brush top bottles. Refer to Mopar® Touch-Up Paint catalogs for applications, colors and part numbers.

Holds 24 (14.78 mL) Bottles
MSQ: 1 Stand
Part No. 04637607
Display Stand Only

TOUCH-UP PAINT CATALOG
Visit www.dealers-mopar.com>
Resources>Application Guides>
Touch-up Paint for a catalog you can print.



VEHICLE PREP AND DETAIL



MULTI-PURPOSE LIQUID FLOOR CLEANER

20 L
MSQ: 1
Part No. 0VU01268



UNIVERSAL WASH

Concentrated all-purpose cleaner. For automotive exteriors, vinyl and plastic. General purpose, shop and home use.

473 mL Bottle
MSQ: 12 Bottles
Part No. OMS00116
4 L Bottle
MSQ: 4 Bottles
Part No. 0VU01068
20 L Pail
MSQ: 1
Part No. 0VU01067

205 L Drum
MSQ: 1
Part No. 0VU01421
Dispensing pump included



MOPAR AUTOMATIC CAR WASH FRICTIONLESS CLEANER

When used with a high-pressure rinse in touchless car washes, it is designed to clean without the use of brushes or cloth. Super concentrated, a five-gallon container is equal to 30 gallons of traditional cleaner. This product can be used in a pressure washer.

18.93 L Container
MSQ: 1
Part No. 05093093AA



MOPAR AUTOMATIC CAR WASH DRYING AGENT

This superior drying agent causes rinse water to bead up and roll off vehicle surfaces. It also eliminates excess soap foam, which can dry to an unattractive white residue. It adds shine and luster while preventing the spotting that can occur after air drying.

18.93 L Container
MSQ: 1
Part No. 05093095AA

Note: The photos shown on this page may not be representative of actual product.

MASTER SHIELD



PAINT SEALANT

Master Shield's unique formula provides a smooth, glass-like protective seal, which guards against solar damage. Complete with 12 warranty books.

103.5 mL Bottle
MSQ: 12 Bottles
Part No. OMS01000



FABRIC PROTECTOR[†]

Protects interior fabrics by repelling spills and stains from liquids such as coffee, milk, soft drinks, juice and other similar liquids. Complete with 12 warranty books.

473 mL Bottle
MSQ: 12 Bottles
Part No. OMS01001



LEATHER AND VINYL PROTECTOR

A special formulation that bonds to the leather or vinyl of the vehicle's interior to give it spill-proof protection. Makes vehicle's interior soil-repellent and waterproof. Liquid spills will "bead up" on your leather or vinyl for easy wipe-off or sponging, without dulling your vehicle's interior colors or leaving stains.

118 mL Bottle
MSQ: 1 Bottle
Part No. OMS01004



UNDERCOAT

Improves underbody appearance and seals out harmful, corrosive abrasion. Also acts as a sound deadener for a quieter ride, and helps insulate a vehicle from the heat and cold. Complete with 12 warranty books.

1.183 L Bottle
MSQ: 12 Bottles
Part No. OMS01002



RUSTPROOFING

Fogging spray method penetrates those hard-to-reach cracks and crevices, providing maximum inside-out corrosion protection from rust-through on doors and exterior body side panels. Complete with 12 warranty books.

917 mL Bottle
MSQ: 12 Bottles
Part No. OMS01003

[†]Yes Essentials Stain, Odor and Static Resistant Fabric is not compatible with Master Shield Fabric Protector.

Note: The photos shown on this page may not be representative of actual product.

BULK OIL

FOR THOSE WHO WOULD LIKE TO ENROLL* IN ONE OF THE MOPAR BULK LUBRICANT PROGRAMS:

REGION	VISCOSITY	PART NUMBER
National	5W-20	68101996CA
National	5W-30	68101997CA
National	10W-30	68101998CA
National	15W-40	68101999CA

Please print/photocopy the form on page 41 and complete it with your Service & Parts District Manager. Then fax it to Spencer Bryant at 248.602.0653. If you require additional tanks, metering equipment or any other components to support your bulk lubricant program or any other shop needs, please refer to the PSE (Professional Service Equipment) Program at:

www.des-canada.ca OR 1-866-868-3372

Business development funds are available for Chrysler Canada Dealerships for service related equipment and Express Lane funding. For further details, please contact your Service & Parts District Manager or local Shell Representative.

**If your dealership is already enrolled and is simply looking to expand your bulk lubricant offering, please contact your current bulk distributor and they can make all of the appropriate arrangements.*

MOPAR BULK OIL DELIVERY PROGRAM - DEALER ENROLMENT FORM

<p>Attn: Spencer Bryant Product Line Manager Maintenance Portfolio</p>	<p>Fax: 248.602.0653</p>
---	--------------------------

Please have my Dealership set-up on the Mopar Bulk Oil Delivery Program ASAP.

Dealer Code:		Dealer Name:	
Tank Size:		Phone Number:	
Yearly Usage:		Dealer Contact:	
		Dealer Address:	

Chrysler Canada Inc. (Mopar)

“KEEP-FULL” BULK OIL PROGRAM PARTICIPATION AGREEMENT

Our Dealership wishes to participate in the Mopar Bulk Oil “Keep Full” Bulk Oil Program. By participating in this program we will insure that our Dealership will have sufficient inventory of engine oil on hand to satisfy customer service requirements, without the need to contact Chrysler Canada Inc. – Mopar for deliveries.

PROGRAM DETAILS

- Chrysler Canada Inc. (Mopar) agrees to deliver a supply of bulk oil through Shell Lubricants Branded Distributors on a schedule to be established by Dealership usage volume.
 - Dealership personnel will be responsible for verifying the quantity of oil delivered and signing the appropriate delivery documentation.
 - Chrysler Canada Inc. (Mopar) will bill the Dealership for the amount of oil delivered.
- The Dealership agrees not to refuse a scheduled delivery.
 - Any question or decisions in relation to this program shall be disposed of at the sole discretion of Chrysler Canada Inc. (Mopar), whose decision will be final. Chrysler Canada Inc. (Mopar) reserves the right to amend or cancel this program in writing at any time.

Date	Dealership Name	Authorized Signature	Title
------	-----------------	----------------------	-------

CROSS REFERENCE INDEX

U.S. PART NUMBER	CANADIAN PART NUMBER	DESCRIPTION	PAGE #
04318080AC	0BF00014	DOT 3 Brake Fluid	22
04549625AD	0BF00016	Brake & Clutch Fluid Dot 4 Motor Vehicle	22
04897623AB	0MS00120	Glass Cleaner	36
04886330AA	0MS00121	Bug & Tar Remover	33
04318039AB	0VU00100	Penetrating Fluid	26
04318001AD	0VU00788	Combustion Chamber Cleaner	25
04318014AB	0VU01202	Glass Cleaner	36
04267020AC	0VU01233	Antifreeze/Coolant 3-year Formula – Embittered	11
04883968	0VU01268	Multi-Purpose Liquid Floor Cleaner	38
68218043AA	68218043CA	Gear & Axle Lubricant SAE 80W-90 (60 L)	19
68218657AA	68218657CA	Synthetic Gear & Axle Lubricant SAE 75W-140 (946 mL, 12)	19
68218658AA	68218658CA	Synthetic Gear & Axle Lubricant SAE 75W-140 60L	19
05012249AB	0VU01307	Nickel Anti-Seize Lubricant	26
04874468	68218041CA	Gear & Axle Lubricant SAE 80W-90	19
05083149AA	0VU01419	General Purpose High-Temp Wheel Bearing Grease	23
68158590AA	0VU01426	Fuel Injector Cleaner	9
68003056AB	68218656CA	Synthetic Gear & Axle Lubricant SAE 75W-90	19
05174566AA	0VU01440	Premium Fuel System Cleaning Kit	8
04897156AC	0VU01446	Throttle Body Cleaner	25
04549626AC	0VU01463	Multi-Purpose Lube	26
04318066AC	68003883AB	White Lithium Grease	23
04318070AC	0VU01496	Silicon Spray Lube	26
68065196AA	0VU01497AB	Brake & Parts Cleaner (390 Gram Aerosol Can)	25
82300101AB	0VU01507AB	R-134A A/C Refrigerant	13
68048953AB	0VU01524AB	Antifreeze/Coolant 5-year/250,000 KM – Embittered	11
04773774	04773774	Weatherstrip Adhesive	29
05018045AA	0VU01534	Electrical Contact Cleaner	25
05019625AA	0VU01535	Fuel System Cleaner	8
N/A	68218054CA	ATF+4 208.2 L	16
68218057AA	68218057CA	ATF+4 946 mL	16
68218058AA	68218058CA	ATF+4 5 L	16
68163848AA	68175338AA	Concentrate Antifreeze/Coolant 10-year/240,000 KM	12
68163849AA	68175339AA	50/50 Prediluted Antifreeze/Coolant 10-year/240,000 KM	12

NUMERICAL PART NUMBER INDEX

PART NUMBER	ITEM	PAGE NO.
04076274AB	Butyl Tape	28
04318005	Stop Leak Pellets	12
04318012	Wax Treated Polishing Cloths	37
04318013AC	Chrome Cleaner	33
04318020AC	Total Clean Trigger Spray	36
04318028	Vinyl Foam Tape	28
04318031	Lock & Seal Adhesive	30
04318032	Stud N' Bearing Mount Adhesive	30
04318035AC	Gasket Sealant	28
04318060AB	Limited Slip Additive	21
04318083	Gasket Maker	28
04467708	Silicone Windshield & Glass Sealer	30
04467709	Bond-All Gel	29
04637607	Touch-Up Paint Display Stand	37
04728942AB	Cooling Coil Coating	13
04773427	Weatherstrip Lubricant	29
04773774	Weatherstrip Adhesive	29
04796240AC	Tire Treatment	33
04796268	Transmission Cooler Flush	26
04796269	Brake Lubricant	24
04798219AB	R-134a Leak Detection Dye	10
04856593AB	Whitewall & Vinyl Top Cleaner	34
04856977AB	Cooling System Flush	12
04864015AC	Windshield Install Package	29
04874459	Synthetic Manual Trans Lubricant SAE 75W-85	20
04874464	Manual Transmission Lubricant	20
04874465	Manual Transaxle and Quadra-Trac Lubricant	20
04883065	Gear Marking Compound	26
04883967	Phosphate-Free Car Wash	35
04883971	Engine Sealant RTV Silicone Rubber Adhesive	27
04886129AA	SP-15 A/C Compressor Lubricant	13
04897618AA	Dispenser for Bag-In-Box	31
04897840AB	Total Clean Trigger Spray	36
04897841AA	Multi-Mileage Lube	23
05010042AB	4-in-1 Leak Detection Dye	10
05010043AA	Coolant Leak Detection Dye	10
05010319AB	Rubber Bushing Installation Lube	23
05010884AA	ATF-RTV	27
05012245AC	Cloth Top Cleaner Concentrate	34
05012246AB	Cloth Top Treatment	34
05012248AC	Jeep® Soft Glass Window Cleaner	33
05013477AA	Axle RTV	27
05013781AA	Nye Dielectric Grease	23
05015983AB	Rear View Mirror Adhesive	30
05016796AC	Transfer Case Lubricant NV 245/NV 247/NV 249	21

PART NUMBER	ITEM	PAGE NO.
05018626AA	Nye Synthetic Lubricant	23
05019054AA	Anti-Squeak Tape	30
05019055AA	Flock Tape	30
05019056AA	Foam Tape	30
05019057AA	Foam Tape	30
05019058AA	Foam Tape	30
05019059AA	Oil Lubricant	30
05066440AA	Soft Top Zipper Cleaner & Lubricant	34
05083150AA	Multi-Purpose Grease	23
05093093AA	Mopar® Automatic Car Wash Frictionless Cleaner	38
05093095AA	Mopar Automatic Car Wash Drying Agent	38
05127382AB	MB236.12 Automatic Transmission Fluid	16
05127394CB	Pennzoil® ULTRA SAE 5W-40 European Formula Full Synthetic	14
05127534AA	Metal Assembly Paste	24
05127819AA	Hylomar Gasket Dressing/Flange Sealant	28
05136035AA	Synthetic Axle Lubricant SAE 75W-85	20
05139803AA	Premium Windshield Washer Solvent/De-Icer	35
05139804AA	Rain Repellant Windshield Washer Fluid	35
05139947AA	Diesel Fresh™	15
05142893AA	Hydraulic System Power Steering Fluid	22
05161618AA	5-Year Coolant Leak Detection Dye	10
05166240CA	Pennzoil SAE 5W-20 Platinum Full Synthetic	14
05166241CA	Pennzoil SAE 5W-30 Platinum Full Synthetic	14
05166242CA	Pennzoil SAE 10W-30 Platinum Full Synthetic	14
05170022AA	Cooling Coil Cleaner	13
05170055AB	Transfer Case Lubricant - LX	21
05174395AA	Satin Select	36
05175050AA	Carpet Cleaner	36
05179014AA	Transfer Case Lubricant NV246	21
05179671AA	Corrosion Inhibitor	37
05189966AB	ASRC™ ATF	16
05189977AB	ASRC™ ATF	16
05191184AA	CVTF+4 Transmission Fluid	16
05191185AA	CVTF+4 Transmission Fluid	16
05191800AA	Premium Diesel Fuel Treatment	9
05191804AA	Air Leak Detector	10
0BF00013	DOT 3 Brake Fluid	22
0BF00014	DOT 3 Brake Fluid	22
0BF00015	DOT 3 Brake Fluid	22
0BF00016	Brake & Clutch Fluid Dot 4 Motor Vehicle	22
0MS00116	Universal Wash	38
0MS00119	One Step Polish	34
0MS00120	Glass Cleaner	36
0MS00121	Bug & Tar Remover	33

NUMERICAL PART NUMBER INDEX

PART NUMBER	ITEM	PAGE NO.
OMS01000	Paint Sealant	39
OMS01001	Fabric Protector	39
OMS01002	Undercoat	39
OMS01003	Rustproofing	39
OMS01004	Leather and Vinyl Protector	39
OTT00072	Rubber Lubricant	23
0VU00100	Petrating Fluid	26
0VU00788	Combustion Chamber Cleaner	25
0VU01067	Universal Wash	38
0VU01068	Universal Wash	38
0VU01070AC	Engine Shampoo	35
0VU01159	Threadlocker Red	31
0VU01161	Threadlocker Blue	31
0VU01202	Glass Cleaner	36
0VU01233	Antifreeze/Coolant 3-Year Formula — Embittered	11
0VU01246	Fuel System Treatment	9
0VU01268	Multi-Purpose Liquid Floor Cleaner	38
0VU01282	Cooling System Tune-Up Kit	12
0VU01307	Nickel Anti-Seize Lubricant	26
0VU01321	Windshield Washer Antifreeze	35
0VU01331	Rear Window Defogger Repair Kit	29
0VU01418	General Purpose High-Temp Wheel Bearing Grease	23
0VU01419	General Purpose High-Temp Wheel Bearing Grease	23
0VU01421	Universal Wash	38
0VU01424AB	Vinyl Protector & Conditioner	33
0VU01426	Fuel Injector Cleaner	9
0VU01440	Premium Fuel System Cleaning Kit	8
0VU01441	Fuel System Cleaner Application Tool	8
0VU01443	Engine Shampoo	35
0VU01446	Throttle Body Cleaner	25
0VU01454	Super Glue	31
0VU01463	Multi-Purpose Lube	26
0VU01491	Spray White Lube Lithium Grease	26
0VU01496	Silicone Spray Lube	26
0VU01497AB	Brake & Parts Cleaner Non-Chlorinated	25
0VU01498	Spot & Stain Remover	34
0VU01502	Brake & Parts Cleaner Non-Chlorinated	25
0VU01507AB	R-134A A/C Refrigerant	13
0VU01508	Gasket Sealing Compound	28
0VU01511	Brake and Parts Cleaner Pump	25
0VU01524AB	Antifreeze/Coolant 5-Year/250,000 KM — Embittered	11
0VU01532	Premium Fuel System Service Kit	9
0VU01534	Electrical Contact Cleaner	25
0VU01535	Fuel System Cleaner	8

PART NUMBER	ITEM	PAGE NO.
0VU01788	Combustion Chamber Cleaner	25
68001334CB	Pennzoil® Ultra Euro L 5W-30 Full Synthetic	14
68001758AA	Transfer Case Lubricant NV146	21
68002256AA	Output Shaft Assembly Lubricant	24
68003883AB	White Lithium Grease	23
68028729AA	EGR System Cleaner	27
68028730AB	Brushing Grease	24
68029698AB	Water Pump Lubricant	12
68035321AA	Vitamol ZH-M Hydraulic Fluid	21
68035704AB	Diesel Exhaust Fluid	17
68042969AA	Cavity Wax Kit	25
68042970AA	Cavity Wax Kit Refill	25
68043289AA	ND-11 A/C Compressor Oil POE Type	13
68043742AB	Dexron®-VI Automatic Transmission Fluid	16
68044565AA	Diesel Turbocharger Cleaner	27
68048547AA	Battery Terminal Protector Pads	29
68049692AA	Brake Dust Inhibitor	25
68049954AA	Transfer Case Lubricant For Borgwarner 44-40	21
68056278AB	Diesel Exhaust Fluid	17
68082860AA	Threebond™ Engine RTV	27
68083381AA	Rear Axle Lubricant	19
68083422AA	Spill Free Nozzle	17
68088485AA	Electric Steering Pump Fluid	22
68089195AA	Transfer Case Lubricant For Borgwarner 44-44	21
68092630AA	C Series Manual & Dual Dry Clutch Transmission Fluid	20
68092636AA	C Series Manual & Dual Dry Clutch Transmission Fluid	20
68092638AA	C Series DDCT SAE 75W Hydraulic Fluid	20
68146832CA	Pennzoil SAE 5W-20 Platinum Full Synthetic	14
68146834CA	Pennzoil SAE 5W-30 Platinum Full Synthetic	14
68147411CA	Shell SAE 5W-40 Rotella T6 Full Synthetic	14
68148834AA	50/50 Prediluted Antifreeze/Coolant 10-Year/240,000 KM — Embittered	11
68148838AA	Concentrate Antifreeze/Coolant 10-Year/240,000 KM — Embittered	11
68152004CA	Pennzoil SAE 0W-20 Platinum Full Synthetic	14
68170681AA	RL-897 A/C Compressor Oil PAG Type	13
68171006CA	Shell SAE 5W-40 Rotella T6 Full Synthetic	14
68171066CA	Pennzoil Ultra Sae 0W-40 Full Synthetic	14
68171866AA	SP-IV Automatic Transmission Fluid	16
68171869AA	SP-IV Automatic Transmission Fluid	16
68175338AA	Concentrate Antifreeze/Coolant 10-Year/240,000 KM	12
68175339AA	50/50 Prediluted Antifreeze/Coolant 10-Year/240,000 KM	12
68194640AA	Diesel Injector Cleaner	8
68218041CA	Gear & Axle Lubricant SAE 80W-90	19
68218043CA	Gear & Axle Lubricant SAE 80W-90	19

NUMERICAL PART NUMBER INDEX

PART NUMBER	ITEM	PAGE NO.
68218054CA	ATF+4	16
68218057CA	ATF+4	16
68218058CA	ATF+4	16
68218064AA	Power Steering Fluid +4	22
68218654AA	Synthetic Gear Lubricant SAE 75W-90	19
68218655CA	Synthetic Gear Lubricant SAE 75W-90	19
68218656CA	Synthetic Gear & Axle Lubricant SAE 75W-90	19
68218657CA	Synthetic Gear & Axle Lubricant SAE 75W-140	19
68218658CA	Synthetic Gear & Axle Lubricant SAE 75W-140	19
68218890CA	SAE 5W-20 Mopar [®] Engine Oil	15
68218891CA	SAE 5W-20 Mopar Engine Oil	15
68218892CA	SAE 5W-20 Mopar Engine Oil	15
68218920CA	SAE 5W-30 Mopar Engine Oil	15
68218921CA	SAE 5W-30 Mopar Engine Oil	15
68218922CA	SAE 5W-30 Mopar Engine Oil	15
68218925AA	ZF 8 & 9-Speed ATF [®]	16
68218930CA	SAE 10W-30 Mopar Engine Oil	15
68218931CA	SAE 10W-30 Mopar Engine Oil	15

PART NUMBER	ITEM	PAGE NO.
68218932CA	SAE 10W-30 Mopar Engine Oil	15
68218940CA	SAE 15W-40 Mopar Engine Oil	15
68218941CA	SAE 15W-40 Mopar Engine Oil	15
68218942CA	SAE 15W-40 Mopar Engine Oil	15
68218950CA	SAE 0W-20 Mopar Max Pro Plus	15
68218951CA	SAE 0W-20 Mopar Max Pro Plus	15
68218952CA	SAE 0W-20 Mopar Max Pro Plus	15
68224028CA	Solstice R-1234YF A/C Refrigerant	13
68224150AA	ND-12 Compressor Oil	13
68224343CA	Pennzoil [®] SAE 5W-20 Platinum Full Synthetic	14
68224344CA	Pennzoil SAE 5W-30 Platinum Full Synthetic	14
68224345CA	Pennzoil SAE 10W-30 Platinum Full Synthetic	14
82300022AB	Hand Cleaner/Natural Citrus	31
82300102AB	R-134a Compressor Oil PAG Type	13
82300234	Silicone Rubber RTV	28
J8126688	Dielectric Grease	24
MD974421	Liquid Gasket for MMC	23



DODGE

CHRYSLER

Jeep

SRT

